

# jQuery Test Suite

**Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10\_5\_2; en-us)**

**AppleWebKit/525.13 (KHTML, like Gecko) Version/3.1**

**Safari/525.13**

1. core module: Basic requirements (0, 7, 7)
2. core module: \$() (0, 4, 4)
3. core module: browser (0, 13, 13)
4. core module: noConflict (0, 6, 6)
5. core module: isFunction (0, 21, 21)
6. core module: \$('html') (0, 6, 6)
7. core module: \$('html', context) (0, 1, 1)
8. core module: \$(selector, xml).text(str) - Loaded via XML document (0, 2, 2)
9. core module: length (0, 1, 1)
10. core module: size() (0, 1, 1)
11. core module: get() (0, 1, 1)
12. core module: get(Number) (0, 1, 1)
13. core module: add(String|Element|Array|undefined) (0, 8, 8)
14. core module: each(Function) (0, 1, 1)
15. core module: index(Object) (0, 8, 8)
16. core module: attr(String) (0, 20, 20)
17. core module: attr(String) in XML Files (0, 2, 2)
18. core module: attr(String, Function) (0, 2, 2)
19. core module: attr(Hash) (0, 1, 1)
20. core module: attr(String, Object) (0, 17, 17)
21. core module: attr(String, Object) - Loaded via XML document (0, 2, 2)
22. core module: css(String|Hash) (0, 19, 19)
23. core module: css(String, Object) (0, 21, 21)
24. core module: jQuery.css(elem, 'height') doesn't clear radio buttons (bug #1095) (0, 4, 4)
25. core module: width() (0, 9, 9)
26. core module: height() (0, 8, 8)
27. core module: text() (0, 1, 1)
28. core module: wrap(String|Element) (0, 8, 8)
29. core module: wrapAll(String|Element) (0, 8, 8)
30. core module: wrapInner(String|Element) (0, 6, 6)
31. core module: append(String|Element|Array<Element>|jQuery) (0, 21, 21)
32. core module: appendTo(String|Element|Array<Element>|jQuery) (0, 6, 6)
33. core module: prepend(String|Element|Array<Element>|jQuery) (0, 5, 5)
34. core module: prependTo(String|Element|Array<Element>|jQuery) (0, 6, 6)
35. core module: before(String|Element|Array<Element>|jQuery) (0, 4, 4)
36. core module: insertBefore(String|Element|Array<Element>|jQuery) (0, 4, 4)
37. core module: after(String|Element|Array<Element>|jQuery) (0, 4, 4)
38. core module: insertAfter(String|Element|Array<Element>|jQuery) (0, 4, 4)
39. core module: replaceWith(String|Element|Array<Element>|jQuery) (0, 10, 10)
40. core module: replaceAll(String|Element|Array<Element>|jQuery) (0, 10, 10)

41. core module: end() (0, 3, 3)
42. core module: find(String) (0, 2, 2)
43. core module: clone() (0, 4, 4)
44. core module: clone() on XML nodes (0, 2, 2)
45. core module: is(String) (0, 26, 26)
46. core module: \$.extend(Object, Object) (0, 17, 17)
47. core module: val() (0, 4, 4)
48. core module: val(String) (0, 4, 4)
49. core module: html(String) (0, 11, 11)
50. core module: filter() (0, 6, 6)
51. core module: not() (0, 8, 8)
52. core module: andSelf() (0, 4, 4)
53. core module: siblings([String]) (0, 5, 5)
54. core module: children([String]) (0, 3, 3)
55. core module: parent([String]) (0, 5, 5)
56. core module: parents([String]) (0, 5, 5)
57. core module: next([String]) (0, 4, 4)
58. core module: prev([String]) (0, 4, 4)
59. core module: show() (0, 15, 15)
60. core module: addClass(String) (0, 2, 2)
61. core module: removeClass(String) - simple (0, 4, 4)
62. core module: toggleClass(String) (0, 3, 3)
63. core module: removeAttr(String (0, 1, 1)
64. core module: text(String) (1, 3, 4)
  1. Check escaped text
  2. Check node,TextNode,comment with text(): hi!
  3. Check node,TextNode,comment with text(): there
  4. Check node,TextNode,comment with text(): 8
65. core module: \$.each(Object,Function) (0, 12, 12)
66. core module: \$.prop (0, 2, 2)
67. core module: \$.className (0, 6, 6)
68. core module: \$.data (0, 3, 3)
69. core module: \$.removeData (0, 1, 1)
70. core module: remove() (0, 6, 6)
71. core module: empty() (0, 3, 3)
72. core module: slice() (0, 5, 5)
73. core module: map() (0, 2, 2)
74. core module: contents() (0, 12, 12)
75. selector module: element (0, 9, 9)
76. selector module: Element Selector with underscore (0, 1, 1)
77. selector module: broken (0, 7, 7)
78. selector module: id (0, 25, 25)
79. selector module: class (0, 16, 16)
80. selector module: multiple (0, 4, 4)
81. selector module: child and adjacent (0, 37, 37)
82. selector module: attributes (0, 20, 20)
83. selector module: pseudo (:) selectors (0, 35, 35)
84. event module: bind(), with data (0, 3, 3)
85. event module: bind(), with data, trigger with data (0, 4, 4)
86. event module: bind(), multiple events at once (0, 2, 2)
87. event module: bind(), no data (0, 1, 1)

88. event module: bind(), iframes (0, 0, 0)
89. event module: bind(), trigger change on select (0, 3, 3)
90. event module: bind(), namespaced events, cloned events (0, 6, 6)
91. event module: click() (0, 4, 4)
92. event module: unbind(event) (0, 8, 8)
93. event module: trigger(event, [data], [fn]) (0, 67, 67)
94. event module: toggle(Function, Function) (0, 5, 5)
95. event module: jQuery(function(\$) {}) (0, 1, 1)
96. ajax module: \$.ajax() - success callbacks (0, 8, 8)
97. ajax module: \$.ajax() - error callbacks (0, 8, 8)
98. ajax module: \$.ajax() - disabled globals (0, 3, 3)
99. ajax module: \$.ajax - xml: non-namespace elements inside namespaced elements (0, 3, 3)
100. ajax module: \$.ajax - beforeSend (0, 1, 1)
101. ajax module: \$.ajax - dataType html (0, 5, 5)
102. ajax module: serialize() (0, 6, 6)
103. ajax module: \$.param() (0, 4, 4)
104. ajax module: synchronous request (0, 1, 1)
105. ajax module: synchronous request with callbacks (0, 2, 2)
106. ajax module: pass-through request object (0, 8, 8)
107. ajax module: ajax cache (0, 18, 18)
108. ajax module: global ajaxSettings (0, 3, 3)
109. ajax module: load(String) (0, 1, 1)
110. ajax module: load('url selector') (0, 1, 1)
111. ajax module: load(String, Function) with ajaxSetup on dataType json, see #2046 (0, 1, 1)
112. ajax module: load(String, Function) - simple: inject text into DOM (0, 2, 2)
113. ajax module: load(String, Function) - check scripts (0, 7, 7)
114. ajax module: load(String, Function) - check file with only a script tag (0, 3, 3)
115. ajax module: \$.get(String, Hash, Function) - parse xml and use text() on nodes (0, 2, 2)
116. ajax module: \$.getScript(String, Function) - with callback (0, 2, 2)
117. ajax module: \$.getScript(String, Function) - no callback (0, 1, 1)
118. ajax module: \$.ajax() - JSONP, Local (0, 7, 7)
119. ajax module: \$.ajax() - JSONP, Remote (0, 4, 4)
120. ajax module: \$.ajax() - script, Remote (0, 2, 2)
121. ajax module: \$.ajax() - script, Remote with POST (0, 3, 3)
122. ajax module: \$.ajax() - script, Remote with scheme-less URL (0, 2, 2)
123. ajax module: \$.getJSON(String, Hash, Function) - JSON array (0, 4, 4)
124. ajax module: \$.getJSON(String, Function) - JSON object (0, 2, 2)
125. ajax module: \$.getJSON(String, Function) - Remote JSON object with assignment (0, 2, 2)
126. ajax module: \$.post(String, Hash, Function) - simple with xml (0, 4, 4)
127. ajax module: \$.ajaxSetup({timeout: Number}) - with global timeout (0, 1, 1)
128. ajax module: \$.ajaxSetup({timeout: Number}) with localtimeout (0, 1, 1)
129. ajax module: \$.ajax - simple get (0, 1, 1)
130. ajax module: \$.ajax - simple post (0, 1, 1)
131. ajax module: ajaxSetup() (0, 1, 1)
132. ajax module: custom timeout does not set error message when timeout occurs, see #970 (0, 2, 2)
133. fx module: animate(Hash, Object, Function) (0, 1, 1)
134. fx module: animate option (queue === false) (0, 1, 1)
135. fx module: queue() defaults to 'fx' type (0, 2, 2)
136. fx module: stop() (0, 3, 3)
137. fx module: stop() - several in queue (0, 4, 4)

138. **fx module: stop(clearQueue) (0, 4, 4)**  
139. **fx module: stop(clearQueue, gotoEnd) (0, 3, 3)**  
140. **fx module: toggle() (0, 3, 3)**  
141. **fx module: JS Overflow and Display (0, 2, 2)**  
142. **fx module: CSS Overflow and Display (0, 2, 2)**  
143. **fx module: CSS Auto to show (0, 5, 5)**  
144. **fx module: CSS Auto to hide (0, 4, 4)**  
145. **fx module: CSS Auto to 100 (0, 6, 6)**  
146. **fx module: CSS Auto to 50 (0, 6, 6)**  
147. **fx module: CSS Auto to 0 (0, 6, 6)**  
148. **fx module: JS Auto to show (0, 5, 5)**  
149. **fx module: JS Auto to hide (0, 4, 4)**  
150. **fx module: JS Auto to 100 (0, 6, 6)**  
151. **fx module: JS Auto to 50 (0, 6, 6)**  
152. **fx module: JS Auto to 0 (0, 6, 6)**  
153. **fx module: CSS 100 to show (0, 5, 5)**  
154. **fx module: CSS 100 to hide (0, 4, 4)**  
155. **fx module: CSS 100 to 100 (0, 6, 6)**  
156. **fx module: CSS 100 to 50 (0, 6, 6)**  
157. **fx module: CSS 100 to 0 (0, 6, 6)**  
158. **fx module: JS 100 to show (0, 5, 5)**  
159. **fx module: JS 100 to hide (0, 4, 4)**  
160. **fx module: JS 100 to 100 (0, 6, 6)**  
161. **fx module: JS 100 to 50 (0, 6, 6)**  
162. **fx module: JS 100 to 0 (0, 6, 6)**  
163. **fx module: CSS 50 to show (0, 5, 5)**  
164. **fx module: CSS 50 to hide (0, 4, 4)**  
165. **fx module: CSS 50 to 100 (0, 6, 6)**  
166. **fx module: CSS 50 to 50 (0, 6, 6)**  
167. **fx module: CSS 50 to 0 (0, 6, 6)**  
168. **fx module: JS 50 to show (0, 5, 5)**  
169. **fx module: JS 50 to hide (0, 4, 4)**  
170. **fx module: JS 50 to 100 (0, 6, 6)**  
171. **fx module: JS 50 to 50 (0, 6, 6)**  
172. **fx module: JS 50 to 0 (0, 6, 6)**  
173. **fx module: CSS 0 to show (0, 5, 5)**  
174. **fx module: CSS 0 to hide (0, 4, 4)**  
175. **fx module: CSS 0 to 100 (0, 6, 6)**  
176. **fx module: CSS 0 to 50 (0, 6, 6)**  
177. **fx module: CSS 0 to 0 (0, 6, 6)**  
178. **fx module: JS 0 to show (0, 5, 5)**  
179. **fx module: JS 0 to hide (0, 4, 4)**  
180. **fx module: JS 0 to 100 (0, 6, 6)**  
181. **fx module: JS 0 to 50 (0, 6, 6)**  
182. **fx module: JS 0 to 0 (0, 6, 6)**  
183. **fx module: Chain fadeIn fadeOut (0, 5, 5)**  
184. **fx module: Chain fadeOut fadeIn (0, 5, 5)**  
185. **fx module: Chain hide show (0, 5, 5)**  
186. **fx module: Chain show hide (0, 5, 5)**  
187. **fx module: Chain toggle in (0, 5, 5)**  
188. **fx module: Chain toggle out (0, 5, 5)**

189. **fx module: Chain slideDown slideUp (0, 5, 5)**
190. **fx module: Chain slideUp slideDown (0, 5, 5)**
191. **fx module: Chain slideToggle in (0, 5, 5)**
192. **fx module: Chain slideToggle out (0, 5, 5)**

Tests completed in 39332 milliseconds.

1 tests of 1157 failed.